

Entrance Examination (June 2017)

Ph.D. in Computer Science

Time: 2 Hours

Max. Marks: 80

Hall Ticket Number:

INSTRUCTIONS

1. Write your Hall Ticket Number in the above box **and** on the OMR Sheet.
2. This test is for **2 hours duration** carrying **80 marks**.
3. This test is objective type and has two parts: Part A contains 40 questions on Research Methodology, whereas Part B contains 40 questions on Computer Science. Please make sure that all the questions are clearly printed in your paper.
4. Every correct answer gets **1 (one) mark**. **There is negative marking of 0.33 marks for every wrong answer.**
5. All answers should be marked clearly in the OMR answer sheet only.
6. Do not use any other paper, envelope etc. for writing or doing rough work. All the rough work should be done in your question paper or on the sheets provided with the question paper at the end.
7. During the examination, anyone found indulging in copying or have any discussions will be asked to leave the examination hall.
8. Use of non-programmable calculator and log-table are allowed.
9. Use of mobile phone is **strictly prohibited** inside the hall.
10. Submit the OMR sheet to the invigilator before leaving the examination hall.

Part A: Research Methodology

- Two motorists set out at the same time from A to B , a distance of 100 miles. They both followed the same route and travelled at different though uniform speeds of integral number of miles/hour. The difference in their speeds was a prime number of miles/hour. After they had been driving for 2 hrs, the distance of the slower car from A was five times that of the faster car from B . How fast did the motorists drive?
 - 30 and 37 miles/hour
 - 40 and 42 miles/hour
 - 47 and 49 miles/hour
 - None of the above
- A job is done by M men in D days. Then $M + N$ men can do the same job in
 - $\frac{MD}{M+N}$ days
 - $\frac{D}{M}(M + N)$ days
 - $D - \frac{D}{M}N$ days
 - $D - \frac{M}{D}N$ days
- An academic institute starts a class at 10:00 A.M. and ends at 1:47 P.M. It has 4 periods of equal distribution of time. After each period there is a gap of 5 minutes to start another period. What is the exact duration of period?
 - 51
 - 52
 - 53
 - 57
- A contractor estimated that one of his bricklayers would take 9 hrs to build a certain wall and the other 10 hours. However, he knew from experience that when they worked together, 10 fewer bricks got laid per hour. Since he was in a hurry, he put both men on the job and found it took exactly 5 hours to build the wall. How many bricks did it contain?
 - 18
 - 90
 - 900
 - It can not be determined from the given data

5. The number of ways in which 3 men and 2 women can sit in a row so that no two men are adjacent is
- A. 12
 - B. 24
 - C. 72
 - D. 9
6. Given the statement, "I always cut the top-right corner of a milk packet for opening it", a milk packet with its top-right corner cut is
- A. a necessary condition for the packet to have been opened by me
 - B. a sufficient condition for the packet to have been opened by me
 - C. both a necessary and a sufficient condition for the packet to have been opened by me
 - D. sometimes a necessary condition and sometimes a sufficient condition for the packet to have been opened by me

7. A common problem in Computer Science research is to minimise an equation of the form

$$E_t(\hat{X}, X) = (1 - \lambda)E_m(\hat{X}, X) + \lambda E_d(X) \quad 0 \leq \lambda \leq 1$$

where λ is a parameter, E_t , E_m and E_d are the total, model and data errors. Model error reflects the mismatch between predicted and actual values, while data error is the error due to noise in the data. For noisy data, the value of λ should be

- A. Close to 0
- B. Close to 1
- C. Nearly 0.5
- D. None of the above

Using general knowledge about Computer Science and by reading the following paragraph carefully, answer the Questions 8 – 12 below:

Princeton asked me to develop a course in automata theory. Since there were no courses or books on the subject, I asked McCluskey to recommend some materials for a course on automata theory. He gave me a list of six papers and told me that the material would probably give students a good background in automata theory. McCluskey's list included works by Warren McCulloch and Walter Pitts, Michael Rabin and Dana Scott, John Backus and Peter Naur, Noam Chomsky, Juris Hartmanis and Richard Stearns, and, of course, Alan Turing.

In 1943 McCulloch and Pitts, working in neurophysiology, published a paper on a logical calculus for describing events in neuron nets. The paper had a notation for describing how these strings of zeros and ones combine in neurons to produce new strings of zeros and

ones. This notation was subsequently developed into the language of regular expressions for describing sets of strings. Rabin and Scott were mathematicians who developed a model of a computer with a finite amount of memory. They called this model the finite-state automaton, and showed that the possible behaviors of finite-state automata were precisely those behaviors that could be described by the regular expressions that grew out of the work of McCulloch and Pitts. The work of Hartmanis and Stearns attracted researchers and focused attention on the topic of complexity. Among the more significant advances that resulted were the classification of the complexity of most major mathematical theories, the reducibility of many combinatorial problems, the concept of NP-completeness, and a deeper understanding of concepts such as randomness. Also, through this course I met Jeffrey Ullman and Alfred Aho, with whom I subsequently collaborated for many years. *Formal Languages and Automata Theory*, which I wrote with Ullman, also evolved from this course.

8. Who is the 'I' in the passage?
 - A. McCluskey
 - B. Jeffrey Ullman
 - C. John Hopcroft
 - D. Edsger Dijkstra

9. denotes some missing sentences in the passage. What are the most likely missing sentences?
 - A. Sentences about Hopcroft's early work in the course
 - B. Sentences about work by Hartmanis and Stearns
 - C. Sentences about work by Backus, Naur and Chomsky
 - D. Sentences about Princeton university

10. Who invented the *finite state automaton*?
 - A. Hopcroft and Ullman
 - B. Chomsky
 - C. McCulloch and Pitts
 - D. Rabin and Scott

11. What was the difficulty in offering the course on *Finite Automata Theory* at Princeton?
 - A. There were no textbooks for the subject
 - B. There were no teachers for the subject
 - C. There were no students for the subject
 - D. None of the above

12. Which of the following *did not* grow out of the work by Hartmanis and Stearns?
- A. Regular expressions
 - B. Reducibility of combinatorial problems
 - C. Classification of complexity
 - D. NP-Completeness
13. Which plots show the relationship between two or three variables when comparing data sets consisting of multiple observations?
- A. Histograms
 - B. Scatter Plots
 - C. Probability Plots
 - D. All the above
14. Variability in groups of observations with widely differing means can be compared using the following measure
- A. Coefficient of variation
 - B. Mean deviation
 - C. Measure of skewness
 - D. None of the above
15. Features / attributes of patterns, which can be measured, are called
- A. Qualitative measure
 - B. Data
 - C. Variables
 - D. All
16. Find the sample variance, standard deviation and range of the following data: 572, 572, 573, 568, 569, 575, 565, 570
- A. Variance =10, standard deviation = 3.162, range = 11
 - B. Variance =13, standard deviation = 4.162, range = 10
 - C. Variance =10, standard deviation = 3.162, range = 09
 - D. Variance =10, standard deviation = 3.162, range = 10
17. A president and a treasurer are to be chosen from a student club consisting of 50 people. How many different choices of officers are possible if there are no restrictions?
- A. 2450
 - B. 2500

- C. 1225
D. 1250
18. In a college football training session, the defensive coordinator needs to have 10 players standing in a row. Among these 10 players, there are 1 freshman, 2 sophomore, 4 juniors and 3 seniors. How many different ways can they be arranged in a row if only their class level will be distinguished?
- A. 14600
B. 12600
C. 12800
D. None of the above
19. In how many ways can 5 different trees be planted in a circle?
- A. 24
B. 12
C. 6
D. 120
20. If at least 85% students in a class are good in Physics, at least 80% are good in Computer Science and at least 75% are good in Mathematics, then the percentage of students who are good in all the three subjects is at least
- A. 25
B. 40
C. 20
D. 60
21. A family has two children. What is the probability that both the children are girls given that at least one of them is a girl?
- A. $\frac{1}{4}$
B. $\frac{1}{2}$
C. $\frac{3}{4}$
D. $\frac{1}{3}$
22. A person has 2 bank cards, each with a 4 digit number. The 1st number is 4 times the 2nd. The 1st number is the reverse of the 2nd. Which of these is the first number?
- A. 8421
B. 2178

- C. 8712
D. None of the above
23. A man passed $\frac{1}{6}$ th of his life in childhood, $\frac{1}{12}$ th as youth and $\frac{1}{7}$ th more as a bachelor. Five years after his marriage, a son was born who died 4 years before his father at half his father's final age. What was the final age of the man?
- A. 48
B. 84
C. 96
D. 64
24. Ram said, "When I am as old as my father is now, I shall be five times as old as my son is now. By then, my son will be eight years older than I am now. The combined ages of my father and myself are 100 years." How old is Ram's son?
- A. 13
B. 15
C. 17
D. None of the above
25. If a flag has three horizontal stripes which can be colored out of five different colors, how many flags can be constructed such that they are not identical and the adjacent stripes are not of the same color?
- A. 15
B. 30
C. 45
D. 50
26. A bag contains 6 white balls, 6 black balls and 8 green balls. What is the probability of 3 balls which were drawn randomly of same colour?
- A. $\frac{3}{1140}$
B. $\frac{20}{1140}$
C. $\frac{56}{1140}$
D. $\frac{96}{1140}$
27. A person walks 8 KM towards east. He took left turn and walks for 1 KM towards north. He took right turn and walks towards east for 7 KM. Now, he turns to right and walks 9 KM towards south. Now, how much of distance, this person is away from the starting point?
- A. 25 KM

- B. 23 KM
 - C. 19 KM
 - D. 17 KM
28. Suppose today is Saturday, after 72 days what will be the day?
- A. Saturday
 - B. Sunday
 - C. Monday
 - D. Tuesday
29. A shopkeeper sold two toys at Rs. 120 each. While he made a profit of 20% on one, he incurred a loss of 20% on other. Then, overall, he
- A. made a profit of Rs. 10
 - B. incurred a loss of Rs. 10
 - C. incurred a loss of Rs. 12
 - D. neither made profit nor incurred loss

Read the following text carefully, so as to answer the questions 30–33

Five Companies A, B, C, D and E saw growth rates ranging from 10% to 50% in the year 2015. The company A with the least revenues of Rs. 600 crores in 2015 saw the maximum growth rate of 50% and the Company D with the highest revenue saw the least growth rate of 10%. Company B's revenues in 2016 was equal to that of Company D in 2015, while Company C's 2016 revenue was equal to that of Company B's in 2015, Company A's 2016 revenue was equal to that of Company E in 2015.

John, an accountant observes that one of the companies has twice the growth rate of another. Mathew, his colleague corrects him and says that this is the case in two different instances.

Company E has a revenue equal to the average seen in Company A and D, and growth rate equal to the average growth rate of A and D. Ram, known for his cryptic-speak mentioned that if company C had grown at the rate seen by company A in 2015 would have reached the revenues seen by Company B in 2016.


30. What is the overall average growth rate seen by all 5 companies put together?
- A. 23.5%
 - B. 27%
 - C. 24.2%
 - D. 28.5%

- 31. Which company had the third highest growth rate?
 - A. B
 - B. C
 - C. D
 - D. E

- 32. Which company had the median revenue in 2016?
 - A. A
 - B. B
 - C. C
 - D. E

- 33. In absolute terms, which company added the maximum revenue in 2016?
 - A. A
 - B. B
 - C. C
 - D. E

The following chart represents number of students of AMS careers at its Hyderabad centre who passed the CAT, XAT, CET or none of these exams. (Assume that there are no students who passed more than one exam). Answer questions 34–37 based upon the information provided in this chart.



34. What was the percentage of students who cleared CAT exam in 2000?
- A. 19.56%
 - B. 12.65%
 - C. 14.28%
 - D. 11.76%
35. What was the percentage of students who succeeded in at least one of the three exams in 2000?
- A. 82.4%
 - B. 82.8%
 - C. 82.35%
 - D. 83.3%
36. Which year showed the best results in CAT entrance exams for the institute (in terms of percentage of students who cleared)?
- A. 2000
 - B. 2001
 - C. 2002
 - D. Can't be determined
37. What is the percentage increase in number of students in year 2002 over year 2000?
- A. 30%
 - B. 17.64%
 - C. 117.6%
 - D. 85%

Answer questions 38-40 based upon the following information.

A group of 7 people Salman, Shahrukh, Aamir, Ranbir, Imran, Shahid and Akshay are to be arranged in a row of 7 chairs (not necessarily in the same order), such that 2 adjacent chairs are facing opposite directions but not facing each other. Given below are some of the conditions to be followed for the seating arrangement:

- a) Akshay sits in a chair whose direction is opposite to that of Imran
- b) None of Salman, Shahrukh or Aamir can sit adjacent to each other
- c) Ranbir and Shahid are best friends, so they always sit together
- d) Imran has 4 people sitting to his right
- e) Aamir is sitting 2 positions to the right of Ranbir

38. Which of the following can never occupy adjacent chairs?
- A. Sharukh & Shahid
 - B. Akshay & Imran
 - C. Aamir & Imran
 - D. Ranbir & Salman
39. If Ranbir is 3 places to the right of Imran, then who is 2 places to the left of Akshay?
- A. Either Shahrukh or Salman
 - B. Aamir
 - C. Either Aamir or Shahrukh
 - D. None of the above
40. If Akshay is 3 places to the left of Shahid, then who can occupy the corner positions (in any order)?
- A. Salman and Aamir
 - B. Shahrukh and Salman
 - C. Shahrukh and Aamir
 - D. None of the above

Part B: Computer Science

41. When an IP datagram is received by a system, the following happens to the currently running process:
- A. Its state is changed to BLOCKED
 - B. Its state is changed to READY
 - C. Process is killed
 - D. Process is suspended
42. In a uniprocessor system that is running a non-preemptive kernel, which of the following statements is TRUE:
- I. Deadlock never happens
 - II. Multi-threading cannot be implemented on this system
 - III. Atomic instructions prevent mutual exclusion problems

- A. I and III
 - B. I, II and III
 - C. III only
 - D. II and III
43. Which of the following statements is NOT TRUE for run-time binding?
- A. Process cannot be relocated
 - B. Process cannot be swapped out and into a different memory location
 - C. Process execution is highly efficient
 - D. Two process address spaces may have a conflict
44. Which of the following statements is TRUE of Zombie processes?
- I. Zombies are an issue primarily in server systems and not in clients
 - II. Zombies make the system run slower
 - III. Zombies are eliminated by inheritance by the *init* process
- A. II and III
 - B. II only
 - C. I and III
 - D. I, II and III
45. Which of the following is NOT possible?
- A. TLB miss with no page fault
 - B. TLB hit with no page fault
 - C. TLB miss with page fault
 - D. TLB hit with page fault
46. Which of the following – client or server or both – does an active or passive open of sockets?
- A. Both can do passive open
 - B. Both can do active open
 - C. Clients can do only passive open
 - D. Servers can do only passive open
47. Given the IP address 202.41.85.117/22, how many hosts can this network support?
- A. 1022
 - B. 1024

- C. 512
- D. 254

48. A router R1 receives the following advertisements from its neighbors when using RIPv1 that uses the distance vector algorithm as the routing protocol:

R2-->R1:: ((N1, 1), (N2, 1))
 R3-->R1:: ((N2, 1), (N3, 1)).

Which of the following can we infer from these advertisements?

- I. R2 and R3 are neighbors of each other
 - II. Count-to-infinity problem cannot occur in this network
 - III. Split horizon is enabled in RIPv1 implementation being used by R2 and R3
- A. I, II and III are all TRUE
 - B. I and II are TRUE
 - C. II and III are TRUE
 - D. Only I is TRUE
49. A disk is highly error-prone especially in sectors which are heavily used. In such a disk which of the following mechanisms for maintaining metadata of the files is WORSE?
- A. Regular Linked Allocation Scheme
 - B. Regular Indexed Allocation
 - C. *inode* form of indexed allocation
 - D. FAT form of linked allocation
50. A computer has a 256 KByte, 4-way set associative, write back data cache with block size of 32 Bytes. The processor sends 32 bit addresses to the cache controller. Each cache tag directory entry contains, in addition to address tag, 2 valid bits, 1 modified bit and 1 replacement bit. The number of bits in the tag field of an address is
- A. 11
 - B. 14
 - C. 16
 - D. 27

51. A processor that has carry, overflow and sign flag bits as part of its program status word (PSW) performs addition of the following two 2's complement numbers: 01001101 and 11101001. After the execution of this addition operation, the status of the carry, overflow and sign flags, respectively will be:
- A. 1, 1, 0
 - B. 0, 0, 0
 - C. 1, 0, 0
 - D. 1, 0, 1
52. A RAM chip has a capacity of 1024 words of 8 bits each ($1K \times 8$). The number of 2×4 decoders with enable line needed to construct a $16K \times 16$ RAM from $1K \times 8$ RAM is
- A. 4
 - B. 5
 - C. 6
 - D. 7
53. Consider the following sequence of micro-operations.
- MBR \leftarrow PC
MAR \leftarrow X
PC \leftarrow Y
Memory \leftarrow MBR
- Which one of the following is a possible operation performed by this sequence?
- A. Instruction fetch
 - B. Operand fetch
 - C. Conditional branch
 - D. Initiation of interrupt service
54. Let $R = \{A, B, C, D, E, F\}$ be a relation schema with $C \rightarrow F$, $E \rightarrow A$, $EC \rightarrow D$ and $A \rightarrow B$. Which of the following is a key for R ?
- A. CD
 - B. EC
 - C. AE
 - D. AC

55. Which of the following statements is false?
- A. Any relation with two attributes is in BCNF
 - B. A relation in which every key has one attribute is in 2NF
 - C. A prime attribute can be transitively dependent on a key in 3NF relation
 - D. A prime attribute can be transitively dependent on a key in BCNF relation
56. Relations produced from E-R model will always be in
- A. 3NF
 - B. BCNF
 - C. 4NF
 - D. 2NF
57. Consider a schema $R = \{A, B, C, D\}$ and functional dependencies $A \rightarrow B$ and $C \rightarrow D$. Then the decomposition $R_1 = \{A, B\}$ and $R_2 = \{C, D\}$ is
- A. Dependency preserving but not lossless join
 - B. Dependency preserving and lossless join
 - C. Lossless join but not dependency preserving
 - D. Neither lossless join nor dependency preserving
58. How many sub-graphs with at least one vertex does a labeled complete graph with 3 vertices have?
- A. 7
 - B. 10
 - C. 12
 - D. 17
59. The number of paths of length 3 between a single pair of two distinct vertices in a complete graph with 4 vertices is
- A. 5
 - B. 6
 - C. 7
 - D. 8
60. For a set S , let $P(S)$ denote power set of S , i.e., the set of all subsets of S . Suppose S_1 and S_2 are any two sets. Consider the following statements regarding S_1 and S_2
- I. $P(S_1) \cup P(S_2) = P(S_1 \cup S_2)$

- II. $P(S_1) \cap P(S_2) = P(S_1 \cap S_2)$
- III. $P(S_1) = P(S_2) \Leftrightarrow S_1 = S_2$
- IV. $P(\emptyset) = \emptyset$

Then

- A. Only I and IV are true
 - B. Only II and III are true
 - C. Only I, II and III are true
 - D. Only III and IV are true
61. Consider that 135 cities in India are to be connected by high-speed fibre optic links. Each link will connect a pair of cities so that the entire network of 135 cities is connected. The additional requirement is that the network will remain connected if any single link fails. What is the minimum number of links needed to set up the network?
- A. 268
 - B. 9045
 - C. 270
 - D. 135
62. Consider an unordered doubly linked list with n elements. Given a key, all the elements less than the key are moved to the left of the key, and all the elements greater than the key are moved to the right of the key preserving the same order as in the original list. What is the time complexity for doing this?
- A. $\mathcal{O}(n)$
 - B. $\mathcal{O}(n^2)$
 - C. $\mathcal{O}(n \log n)$
 - D. None of the above
63. Consider a weighted undirected graph G with positive edge weights. Let (u, v) be an edge in the graph. It is known that the shortest path from a vertex s to u has weight 35 and the shortest path from s to v has weight 56. Which of the following is always true?
- A. Weight of $(u, v) \leq 21$
 - B. Weight of $(u, v) = 21$
 - C. Weight of $(u, v) \geq 21$
 - D. Nothing can be said about the weight of (u, v)

64. Consider a graph G with six vertices. Which of the following sequences can not represent the degree of its vertices
- A. 3, 3, 3, 2, 2, 1
 - B. 3, 3, 3, 3, 2, 2
 - C. 3, 3, 3, 2, 2, 2
 - D. 3, 2, 2, 2, 2, 1
65. Suppose there is a polynomial time reduction from problem A to problem B . Which of the following can be inferred from this fact?
- A. If the best algorithm for B takes exponential time, there is no polynomial time algorithm for A .
 - B. If the best algorithm for A takes exponential time, there is no polynomial time algorithm for B .
 - C. If we have a polynomial time algorithm for A , we must also have a polynomial time algorithm for B .
 - D. If we don't know whether there is a polynomial time algorithm for B , there cannot be a polynomial time algorithm for A .
66. Time complexity of 0/1 Knapsack Problem when there are n items and total weight that can be carried in the knapsack is no more than some fixed number M is
- A. $\mathcal{O}(M \times n)$
 - B. $\mathcal{O}(n^M)$
 - C. $\mathcal{O}(M^n)$
 - D. $\mathcal{O}(M + n)$
67. The source symbols are listed in order of decreasing probability, $p = .4$, $q = .2$, $r = .2$, $s = .1$, $t = .1$. If a binary tree is generated using Huffman code greedy algorithm, with assigning 0 to every left edge and 1 to every right edge, then the average code length is
- A. 3.0
 - B. 2.4
 - C. 2.2
 - D. 2.8
68. Let A be $n \times n$ real matrix and $A^3 = A$, then $A^{36} + 2A$ is
- A. $I + A^2$
 - B. $A(A + 2I)$

- C. $2I + A^2$
D. $I + 2A^2$
69. Which algorithm for string matching pre-processes the pattern to find matches of prefixes of the pattern with the pattern itself
- A. Knuth-Morris-Pratt's algorithm
 - B. Boyer Moore's algorithm
 - C. Robin Karp's algorithm
 - D. None of these
70. The best case performance of heap sort for sorting a given list of numbers into descending order occurs if the given list is in
- A. ascending order
 - B. descending order
 - C. random order
 - D. all of the above
71. Consider a node X in a binary tree. Given that X has two children, let Y be in-order successor of X . Which of the following is true about Y ?
- A. Y has no right child
 - B. Y has no left child
 - C. Y has both children
 - D. None of the above
72. If a sorted list is provided, which is the best strategy to search for an element in the list?
- A. linear search
 - B. binary search
 - C. ternary search
 - D. none of the above
73. You are given pointers to the first and the last nodes of a singly linked list, which of the following operation is dependent on the length of the linked list?
- A. Delete the first element.
 - B. Insert a new element as the first element.
 - C. Delete the last element of the list.

- D. Add a new element at the end of the list.
74. Let G be a Context Free Grammar in Chomsky Normal Form. To derive a string of terminals of length ℓ using G , the number of productions to be used is
- $2\ell - 1$
 - 2^ℓ
 - $2\ell + 1$
 - not fixed and depends on actual productions
75. L_1, L_2 and L_3 are three languages. If L_1 and L_2 are regular and if $L_1 = L_2L_3$, then
- L_3 has to be regular
 - L_3 can never be regular
 - L_3 need not be regular
 - L_3 can never be a context free
76. Let L be a regular language. The language $L_R = \{w \text{ such that } w \text{ is the reverse of } v \text{ where } v \in L\}$ is
- regular
 - context free, but not regular
 - context sensitive, but not context free
 - recursively enumerable, but not context sensitive
77. Let L be a regular language. The language $L_F = \{w \text{ such that } w \text{ is a prefix of } v \text{ where } v \in L\}$ is
- regular
 - context free, but not regular
 - context sensitive, but not context free
 - recursively enumerable, but not context sensitive
78. Consider the function f defined below:

```

struct item
{
    int data;
    struct item * next;
};
int f(struct item *p)
{
    return ((p == NULL) || (p->next == NULL) ||
            ((p->data <= p->next->data) && f(p->next)));
}

```

For a given linked list p, the function f returns 1 if and only if

- A. The elements in the list are sorted in non-decreasing order of data value.
- B. The elements in the list are sorted in non-increasing order of data value.
- C. Not all elements in the list have the same value.
- D. None of the above.

79. What is the output of following function when called with start pointing to the first node of the following singly linked list?

1 → 2 → 3 → 4 → 5 → 6

```
void fun(struct node* start){
    if(start == NULL)
        return;
    printf("%d ", start->data);
    if(start->next != NULL )
        fun(start->next->next);
    printf("%d ", start->data);
}
```

- A. 1 3 5 5 3 1
- B. 1 3 5
- C. 1 2 3 4 5 6
- D. 1 3 5 3 1

80. Following is pseudo code of a function that takes a queue Q as an argument, and uses a stack S to do processing.

```
void fun(Queue *Q){

    Stack S; // creates an empty stack S

    // Run while Q is not empty
    while (!isEmpty(Q)){
        // Dequeue an item from Q and push the dequeued item to S
        push(&S, dequeue(Q));
    }

    // Run while Stack S is not empty
    while (!isEmpty(&S)){
        // Pop an item from S and enqueue the popped item to Q
        enqueue(Q, pop(&S));
    }
}
```

What does the above function do in general?

- A. Removes the last item from Q.
- B. Keeps the Q same as it was before the call.
- C. Makes Q empty.
- D. Reverses the Q.

---***---